

ZENECA Professional Products

REWARD®

Landscape and Aquatic Herbicide

TO PREVENT ACCIDENTAL POISONING, NEVER PUT INTO FOOD, DRINK, OR OTHER CONTAINERS AND USE STRICTLY IN ACCORDANCE WITH ENTIRE LABEL.

DO NOT USE THIS PRODUCT FOR REFORMULATION.

ACTIVE INGREDIENT

Diquat dibromide [6,7-dihydrodipyrido (1,2-a:2',1'-c) pyrazinedium dibromide]	36.4%
INERT INGREDIENTS	63.6%
TOTAL	100.0%

Contains 2 pounds diquat cation per gallon as 3.73 pounds salt per gallon.

EPA Reg. No. 10182-404

KEEP OUT OF REACH OF CHILDREN WARNING—AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: IMMEDIATELY give water or milk to drink and induce vomiting by inserting finger in throat. Do not induce vomiting or give anything by mouth to an unconscious person. Take person and product container to the nearest hospital or physician fast. **PROMPT TREATMENT IS ESSENTIAL TO COUNTERACT POISONING** and should be initiated before signs and symptoms of injury appear.

IF ON SKIN: IMMEDIATELY wash with soap and water. See a doctor if diquat contacts a skin cut, abrasion, or area of irritation.

IF IN EYES: IMMEDIATELY wash eyes with water for at least 15 minutes and get medical attention.

IF INHALED: IMMEDIATELY get away from spray mist. Stop and check spray procedure. See a doctor if irritation persists.

NOTE TO PHYSICIANS: Call ZENECA Medical Emergency Information Network, 1-800-F-A-S-T-M-E-D (327-8633), at any hour to obtain toxicology information and a diquat analysis. To be effective, treatment for diquat poisoning must begin IMMEDIATELY. Treatment consists of binding diquat in the gut with suspensions of activated charcoal or bentonite clay, administration of cathartics to enhance elimination, and removal of diquat from the blood by charcoal hemoperfusion or continuous hemodialysis.

**FOR 24-HOUR EMERGENCY MEDICAL ASSISTANCE, CALL
1-800-F-A-S-T-M-E-D (327-8633).**

**FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call
CHEMTREC, 1-800-424-9300.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

MAY BE FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. CAUSES SUBSTANTIAL, BUT TEMPORARY, EYE INJURY. CAUSES SKIN IRRITATION. CONTACT WITH IRRITATED SKIN, OR A CUT, OR REPEATED CONTACT WITH INTACT SKIN MAY RESULT IN POISONING. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Do not feed forage from treated crops to livestock. Keep livestock and pets out of treated fields and crop areas.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants or coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing, or loading

EXCEPTION: After this product has been diluted with at least 50 gallons of water, applicators for AQUATIC SURFACE APPLICATIONS must, at a minimum, wear (Note—Mixers and loaders for this application method must still wear the PPE as described in the above section):

- Long-sleeved shirt and long pants
- Shoes plus socks
- Waterproof gloves
- Protective eyewear

EXCEPTION: At a minimum, applicators for AQUATIC SUBSURFACE APPLICATIONS must wear (Note—Mixers and loaders for this application method must still wear the PPE as described in the above section):

- Short-sleeved shirt and short pants
- Waterproof gloves
- Chemical-resistant footwear plus socks

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Mixers, loaders, and applicators using closed systems who meet these requirements may wear long-sleeved shirt and long pants, protective eyewear, waterproof gloves, shoes plus socks, and a chemical-resistant apron when mixing, loading, or cleaning equipment. If handling tasks are performed from inside an enclosed cab or aircraft with enclosed cockpits that meet these requirements, handlers may wear: long-sleeved shirt, long pants, shoes, and socks for the labeling-specified PPE. All labeling-specified PPE must be immediately available for use in an emergency. All applicable requirements as specified in 40 CFR 170.240(d)(4-6) must be followed.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS (TERRESTRIAL AND AQUATIC USES)

This pesticide is toxic to wildlife. **For terrestrial uses**, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. **For aquatic uses**, do not apply directly to water except as specified on this label. Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/2 to 1/3 of the water body area at one time, especially if dense areas of weeds and/or algae exist, and wait 14 days between treatments.

Necessary approval and/or permits should be obtained prior to application if required. Consult the responsible State Agencies (i.e., Fish and Game agencies or Department of Natural Resources) before making applications to public waters.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop

conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of ZENEC A or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold ZENEC A and Seller harmless for any claims relating to such factors.

ZENEC A warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or ZENEC A, and Buyer and User assume the risk of any such use. ZENEC A MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall ZENEC A or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ZENEC A AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ZENEC A OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

ZENEC A and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of ZENEC A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

DIRECTIONS

REWARD® Landscape and Aquatic Herbicide is a nonvolatile herbicidal chemical for use as a general herbicide to control weeds in noncrop and aquatic areas. Absorption and herbicidal action is usually quite rapid with effects visible in a few days. REWARD Landscape and Aquatic Herbicide controls weeds by interfering with photosynthesis within green plant tissue. Weed plants should be succulent and actively growing for best results. Rinse all spray equipment thoroughly with water after use. AVOID SPRAY DRIFT to crops, ornamentals, and other desirable plants during application as injury may result. Application to muddy water may result in reduced control. Minimize creating muddy water during application. Use of dirty or muddy water for REWARD Landscape and Aquatic Herbicide dilution may result in reduced herbicidal activity. Avoid applying under conditions of high wind, water flow, or wave action.

Do not apply this product through any type of irrigation system.

AGRICULTURAL USES:

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants, or coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

COMMERCIAL GREENHOUSES AND NURSERIES: For general weed control in commercial greenhouses (beneath benches), field-grown and container stock, and other similar areas. REWARD Landscape and Aquatic Herbicide may be applied preplant or postplant preemergence in field-grown ornamental nursery plantings or postemergence as a directed spray. REWARD Landscape and Aquatic Herbicide may also be applied preemergence in ornamental seed crops (U.S., except California). Avoid contact with desirable foliage as injury may occur. Do not use on food or feed crops.

Spot spray: 1 to 2 quarts REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water or 0.75 ounce (22 ml) REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

Broadcast: 1 to 2 pints REWARD Landscape and Aquatic Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to ensure good coverage.

ORNAMENTAL SEED CROPS (FLOWERS, BULBS, ETC.) U.S., except California: For preharvest desiccation of ornamental seed crops. NOT FOR FOOD OR FIBER CROPS.

Broadcast (Air or Ground): 1.5 to 2 pints REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per acre in sufficient water (minimum of 5 gallons by air; 15 gallons by ground) for desiccation and weed burndown. Repeat as needed at no less than 5-day intervals up to 3 applications. Do not use seed, screenings, or waste as feed or for consumption.

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep all unprotected persons out of operating areas or vicinity where there may be drift.

For terrestrial uses, do not enter or allow entry of maintenance workers into treated areas, or allow contact with treated vegetation wet with spray, dew, or rain, without appropriate protective clothing until spray has dried.

For aquatic uses, do not enter treated areas while treatments are in progress.

DIRECTIONS FOR LANDSCAPE, INDUSTRIAL, RECREATIONAL, COMMERCIAL, RESIDENTIAL, AND PUBLIC AREAS:

REWARD Landscape and Aquatic Herbicide provides fast control of broadleaf and grassy weeds in industrial, recreational, golf course, commercial, residential, and public areas.

REWARD Landscape and Aquatic Herbicide is a nonselective herbicide that rapidly kills undesirable aboveground weed growth in 24 to 36 hours. Avoid application of REWARD Landscape and Aquatic Herbicide to desirable plants.

REWARD Landscape and Aquatic Herbicide is a contact/desiccant herbicide. It is essential to obtain complete coverage of the target weeds to get good control. Improper application technique and/or application to stressed weeds may result in unacceptable weed control. For best results, apply to actively growing, young weeds.

Difficult weeds (such as perennial or deeply rooted weeds) can often be controlled by tank mixing REWARD Landscape and Aquatic Herbicide with other systemic-type herbicides. Refer to other product labels for specific application directions.

For residual weed control, tank mix REWARD Landscape and Aquatic Herbicide with a preemergent herbicide labeled for the intended use site. When mixing REWARD Landscape and Aquatic Herbicide with another herbicide, it is recommended to mix just a small amount first to determine if the mixture is physically compatible before proceeding with larger volumes.

ZENEC A has not tested all possible tank mixtures with other herbicides for compatibility, efficacy, or other adverse effects. Before mixing with other herbicides, ZENEC A recommends you first consult your State experimental station, State university, or extension agent.

Grounds maintenance weed control:

REWARD Landscape and Aquatic Herbicide can be used as a spot or broadcast spray to control weeds in public, commercial, and residential landscapes, including landscape beds, lawns, golf courses, and roadsides. REWARD Landscape and Aquatic Herbicide can also be used for weed control around the edges and nonflooded portions of ponds, lakes, and ditches.

Trim and edge weed control:

REWARD Landscape and Aquatic Herbicide can be used to eliminate undesired grass and broadleaf plant growth in a narrow band along driveways, walkways, patios, cart paths, fence lines, and around trees, ornamental gardens, buildings, and other structures, and beneath noncommercial greenhouse benches. Vegetation control with REWARD Landscape and Aquatic Herbicide is limited to the spray application width. Do not exceed the labeled rate of REWARD Landscape and Aquatic Herbicide as excessive rates may result in staining of concrete-based materials.

REWARD Landscape and Aquatic Herbicide, since it does not translocate systemically, can be used as an edging or pruning tool when precisely applied to select areas of grass or to undesirable growth on desirable ornamental bedding plants, ground covers, etc.

Industrial weed control:

REWARD Landscape and Aquatic Herbicide can be used as a spot or broadcast spray either alone or in combination with other herbicides as a fast burn-down or to control weeds in rights-of-ways, railroad beds/yards, highways, roads, dividers and medians, parking lots, pipelines, pumping stations, public utility lines, transformer stations and substations, electric utilities, storage yards, and other noncrop areas.

Spot spray: 1 to 2 quarts REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 100 gallons water or 0.75 ounce (22 ml) REWARD Landscape and Aquatic Herbicide plus the labeled rate of a 75% or greater nonionic surfactant per 1 gallon water.

Broadcast: 1 to 2 pints REWARD Landscape and Aquatic Herbicide in a minimum of 15 gallons water per acre. Add the labeled rate of 75% or greater nonionic surfactant per 100 gallons spray mixture. Use an adequate spray volume to ensure good coverage. Greater water volumes are necessary if the target plants are tall and/or dense. It is recommended that 60 gallons or greater water volume be used to obtain good coverage of dense weeds.

TURF RENOVATION (All Turf Areas Except Commercial Sod Farms)

To desiccate golf course turf and other turf areas prior to renovation, apply 1 to 2 pints of REWARD Landscape and Aquatic Herbicide per acre plus the labeled rate of a 75% or greater nonionic surfactant in 20 to 100 gallons of water (4 teaspoons of REWARD Landscape and Aquatic Herbicide plus the labeled rate of 75% or greater nonionic surfactant per 1 gallon of water) using ground spray equipment. Apply for full coverage and thorough contact with the turfgrass. Apply only when the turf is dry, free from dew and incidental moisture. For enhanced turf desiccation, especially in the case of thick turfgrass, water volumes should approach 100 gallons of water per acre.

For **suppression** of regrowth and quick desiccation of treated turfgrass, REWARD Landscape and Aquatic Herbicide may be mixed with other systemic nonselective or systemic postemergence grassy weed herbicides. Refer to other product labels for specific application directions and restrictions.

Avoid spray contact with, or spray drift to, foliage of ornamental plants or food crops.

Do not graze livestock on treated turf or feed treated thatch to livestock.

DORMANT ESTABLISHED TURFGRASS (Bermudagrass, Zoysiagrass) NON-FOOD OR FEED CROP

For control of emerged annual broadleaf and grass weeds, including little barley,* annual bluegrass, bromes including rescuegrass, sixweeks fescue, henbit, buttercup, and Carolina geranium in established dormant bermudagrass lawns, parks, golf courses, etc.

Apply 1 to 2 pints REWARD Landscape and Aquatic Herbicide per acre in 20 to 100 gallons spray mix by ground as a broadcast application. Add the labeled rate of a 75% or greater nonionic surfactant per 100 gallons spray mixture.

Bermudagrass must be dormant at application. Application to actively growing bermudagrass may cause delay or permanent injury. Users in the extreme southern areas should be attentive to the extent of dormancy at the time of application.

*For control of little barley, apply REWARD Landscape and Aquatic Herbicide prior to the mid-boot stage.

AQUATIC USE DIRECTIONS

New York—Not for Sale or Use in New York State without Supplemental Special Local Needs Labeling.

Necessary approval and/or permits should be obtained prior to application if required. Consult the responsible State Agencies (i.e., Fish and Game agencies or Department of Natural Resources). Treatment of dense weed areas may result in oxygen loss from decomposition of dead weeds. This loss of oxygen may cause fish suffocation. Therefore, treat only 1/2 to 1/3 of the water body area at one time and wait 14 days between treatments.

For application only to **still water** (i.e., ponds, lakes, and drainage ditches) where there is minimal or no outflow to public waters.

and/or

For applications to **public waters** in ponds, lakes, reservoirs, marshes, bayous, drainage ditches, canals, streams, rivers, and other slow-moving or quiescent bodies of water for control of aquatic weeds. For use by:

- Corps of Engineers; or
- Federal or State Public Agencies (i.e., Water Management District personnel, municipal officials); or
- Applicators and/or Licensees (Certified for aquatic pest control) that are authorized by the State or local government.

Treated water may be used according to the following table or until such time as an approved assay (example: PAM II Spectromatic Method) shows that the water does not contain more than the designated maximum contaminant level goal (MCLG) of 0.02 mg/l (ppm) of diquat dibromide (calculated as the cation):

WATER USE RESTRICTIONS FOLLOWING APPLICATIONS WITH REWARD LANDSCAPE AND AQUATIC HERBICIDE (Days)

Application Rate	Drinking	Fishing and Swimming	Livestock Consumption	Spray Tank Applications** and Irrigation to Turf and Ornamentals	Spray Tank Applications** and Irrigation/ Food Crops
2 gals./ surface acre	3 days	0	1 day	3 days	5 days
1 gal./ surface acre	2 days	0	1 day	2 days	5 days
0.75 gal./ surface acre	2 days	0	1 day	2 days	5 days
0.50 gal./ surface acre	1 day	0	1 day	1 day	5 days
Spot Spray* (< 0.5 gal./ surface acre)	1 day	0	1 day	1 day	5 days

*Rates refer to total surface area.

**For preparing agricultural sprays for food crops, turf, or ornamentals (to prevent phytotoxicity), do not use water treated with REWARD Landscape and Aquatic Herbicide before the specified time period.

When the contents of more than one spray tank is necessary to complete a single aquatic application, no water holding restrictions apply between the consecutive spray tanks.

No applications are to be made in areas where commercial processing of fish, resulting in the production of fish protein concentrate or fish meal, is practiced. Before application, coordination and approval of local and/or State authorities must be obtained.

Apply REWARD Landscape and Aquatic Herbicide in accordance with the following table:

WEED SPECIES	SUBSURFACE OR BOTTOM PLACEMENT GALS/SURFACE ACRE*	SURFACE GALS/SURFACE ACRE*
Bladderwort (<i>Utricularia</i> spp.)	1 to 2	2
Coontail (<i>Ceratophyllum demersum</i>)	2	2
Elodea (<i>Elodea</i> spp.)	2	2
Naiad (<i>Najas</i> spp.)	1 to 2	2
Pondweeds ¹ (<i>Potamogeton</i> spp.)	2	2
Watermilfoils (<i>Myriophyllum</i> spp.)	1 to 2	2
Hydrilla (<i>Hydrilla verticillata</i>)	2	2
Water-lettuce ² (<i>Pistia Stratiotes</i>)	NA	0.5 to 0.75
Water-hyacinth ² (<i>Eichhornia crassipes</i>)	NA	0.5 to 0.75
Pennywort ² (<i>Hydrocotyle</i> spp.)	NA	0.5 to 0.75
Frog's Bit ² (<i>Limnobium spongia</i>)	NA	0.5 to 0.75
Salvinia ² (<i>Salvinia</i> spp.)	NA	0.5 to 0.75
Duckweed ² (<i>Lemna</i> spp.)	NA	1
Cattails ² (<i>Typha</i> spp.)	NA	1 to 2
Algae ² (<i>Spirogyra</i> spp. & <i>Pithophora</i> spp.)	1 to 2	2

*For water less than or equal to 2 feet in average depth of treatment area, use a maximum of 1 gallon REWARD Landscape and Aquatic Herbicide per surface acre. Lowest rates should be used in shallow areas where the water depth is considerably less than the average depth of the entire treatment area, for example, shallow shoreline areas. At water temperatures below 50° to 60°F efficacy and immediacy of results may be reduced.

¹REWARD Landscape and Aquatic Herbicide controls *Potamogeton* species except Richardson's pondweed (*P. richardsonii*). For control of *P. robbinsii*, applications must be made when the plants are in the early stages of growth such as in Spring and early Summer.

²For salvinia, water-lettuce and water-hyacinth, use the labeled rate of REWARD Landscape and Aquatic Herbicide in 75 to 200 gallons water plus the labeled rate of a 75% or greater nonionic surfactant per acre for surface sprays, and for aerial application for water-lettuce and water-hyacinth control, apply the labeled rate of REWARD Landscape and Aquatic Herbicide in 10 to 24 gallons water plus the labeled rate of a 75% or greater nonionic surfactant per acre.

³For Pennywort and cattail control, apply in 50 to 150 gallons of water plus the labeled rate of a 75% or greater nonionic surfactant per acre for full coverage and thorough weed contact. Repeat treatments may be necessary to control regrowth. For best results, apply before flowering (cattail).

⁴For duckweed control, apply as an overall spray in 50 to 150 gallons of water plus the labeled rate of a 75% or greater nonionic surfactant per acre. Retreatment may be necessary for plants missed in previous applications and regrowth.

⁵For suppression of certain filamentous algae species, including *Spirogyra* and *Pithophora*, apply according to the submersed use directions.

⁶Not for use in California.

APPLICATION: In mixed weed populations, use the high rate of application as indicated by weeds present.

SUBSURFACE APPLICATIONS: Where the submersed weed growth, especially hydrilla, has reached the water surface, apply either in a water carrier or an invert emulsion through boom trailing hoses carrying nozzle tips to apply the dilute spray below the water surface to ensure adequate coverage.

BOTTOM PLACEMENT: Where the submersed weeds, especially hydrilla, bladderwort, and coontail growth have reached the water surface or where water is slowly moving through the submersed weed growth that has reached the water surface, especially hydrilla, bladderwort, and coontail, control may be enhanced when applied in an invert emulsion carrier injecting diluted REWARD Landscape and Aquatic Herbicide near the bottom with weighted hoses. The addition of a copper-based algicide will improve control. Where algae are present along with the submersed weeds, pretreatment with copper-based algicide at recommended rates is advised for best results.

SURFACE APPLICATION: For submersed aquatic weeds, apply REWARD Landscape and Aquatic Herbicide either as concentrate slowly poured directly from the container in strips or as a spray in a sufficient carrier. Applications should be made to ensure complete coverage of the weed areas. In mixed weed populations, use the high rate of application as indicated by weeds present.

IF POSTING IS REQUIRED BY YOUR STATE OR TRIBE—CONSULT THE AGENCY RESPONSIBLE FOR PESTICIDE REGULATIONS FOR SPECIFIC DETAILS.

GENERAL RECOMMENDATIONS FOR "POSTING NOTIFICATION"

- **Flowing water:** "post" the restricted area (within/at 1,600 feet downstream of treatment) for the duration of the water use restriction.
- **Standing water:** "post" the restricted area (within/at ¼ mile of treatment) for the duration of the water use restriction.
- **No "posting" is necessary where water use is greater than 1,600 feet downstream of treated water in flowing water bodies or where water use is greater than ¼ mile from treated water in standing water bodies.**

**"Posting" should be removed at the end of the restriction period.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers. Do not contaminate feed, foodstuffs, or drinking water. Do not store or transport near feed or food. Store at temperature above 32°F. For help with any spill, leak, fire, or exposure involving this material, call CHEMTREC (1-800-424-9300).

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Do not reuse container. Incinerate, burn, or puncture and dispose of in a sanitary landfill, or dispose of by other procedures allowed by State and local authorities. If burned, stay out of smoke.

FOR BULK AND MINI-BULK CONTAINERS:

CONTAINER DISPOSAL: Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling or reconditioning, or clean in accordance with manufacturer's instructions.

CONTAINER PRECAUTIONS: Before refilling, inspect thoroughly for damage, such as cracks, punctures, bulges, dents, abrasions, and damaged or worn threads on closure devices.

REFILL ONLY WITH REWARD® LANDSCAPE AND AQUATIC HERBICIDE. The contents of this container cannot be completely removed by cleaning. Refilling with materials other than REWARD Landscape and Aquatic Herbicide will result in contamination and may weaken container.

After filling and before transporting, check for leaks.

Do not refill or transport damaged or leaking container.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

REWARD® is a trademark of a ZENECA Group Company.

© 1999. ZENECA Inc.

This is a specimen label and may be inaccurate or out of date. It is intended as a guide in providing general information regarding use of this product. Always read and follow the EPA approved label on the product container.

For current information, contact ZENECA Professional Products at 1-888-617-7690.

069802

Made in U.S.A.

ZENECA Professional Products

1800 Concord Pike
Wilmington, DE 19850-5458